



Product Specification Summary

Plant RT-PCRmer™

| | |
|----------------|--|
| Catalog Number | 40-1800-13 |
| Product Name | Plant Cyclophilin F1/Cyc R1 RT-PCRmer™ amplification primer; 2 nmols |
| Size | 2 nmols |
| Description | Plant Cyclophilin |
| Component/Note | Primer Pair F1/R1 |

RT-PCRmer™ are primer pairs for specific amplification of cDNA. Elongation factor 1 α (ef1 α : ef1A) tranabcedfghs has been shown to be consistently present under different stress conditions in plant and serves as a good representative housekeeping tran as control (1). Actin, cyclophilin, β -tubulin, 18S rRNA and others are also used as controls for housekeeping genes. These are generally used as controls for measuring cDNA synthesis efficiency by reverse tranion and as controls for mRNA (cDNA) quantitative expression studies. The enclosed RT-PCRmer™ is supplied as a lyophilized powder in aliquots of 2 nmols. The 2 nmols of primer when dissolved in 200 μ l sterile water or TE will give a solution of 10 μ Molar i.e. 10 pmols/ μ l. The quantity supplied is sufficient for at least 100 regular 20 μ l PCR reaction for ethidium bromide stained visualization. These RT-PCRmer™ have been tested with potato and tomato cDNA. The product is supplied as a lyophilized powder, after reconstitution store at -20oC. Oligo purity is greater than 98% as determined by denaturing polyacrylamide gel electrophoresis.

Scan the QR Code or visit the following links

Product Information

<http://www.genelink.com/geneprodsite/product.asp?p=11663>



Product Manual

<http://www.genelink.com/Literature/ps/M40-1800-11Ver2.1.pdf>



Product MSDS

<http://www.genelink.com/Literature/ps/MSDSNH.pdf>



Related Products

| Product | Catalog No | Size |
|--|------------|---------|
| Plant EF-1A F1/R1 RT-PCRmer™ amplification primer; 2 nmols | 40-1800-11 | 2 nmols |
| Plant EF-1A F1/R2 RT-PCRmer™ amplification primer; 2 nmols | 40-1800-12 | 2 nmols |
| Plant Cyclophilin F1/Cyc R1 RT-PCRmer™ amplification primer; 2 nmols | 40-1800-13 | 2 nmols |
| Plant Cyclophilin F1/Cyc R2 RT-PCRmer™ amplification primer; 2 nmols | 40-1800-14 | 2 nmols |
| Tomato LeGAI F1/R1 RT-PCRmer™ amplification primer; 2 nmols | 40-1802-11 | 2 nmols |
| Tomato LeBEC F1/R1 RT-PCRmer™ amplification primer; 2 nmols | 40-1802-12 | 2 nmols |