

## **Product Specifications**

Custom Oligo Synthesis, antisense oligos, RNA oligos, chimeric oligos, Fluorescent dyes, Affinity Ligands, Spacers & Linkers, Duplex Stabilizers, Minor bases, labeled oligos, Molecular Beacons, siRNA, phosphonates Locked Nucleic Acids (LNA); 2'-5' linked Oligos

## Oligo Modifications

For research use only. Not for use in diagnostic procedures for clinical purposes.

## ddA-5'

Category	End Blockers	NH <sub>2</sub> ↓ N	
Modification Code	ddA-5	N O	Dana
Reference Catalog Number	26-6331	N N PO-P-O-	Base
5 Prime	Υ	О ОН	$\left\langle ^{0}\right\rangle$
3 Prime	N		$\smile$
Internal	N	dideoxy Adenosine (5')	о́н
Molecular Weight(mw)	297.21	[26-6331-XX]	0 -P-0
			O

Dideoxyadenosine (ddA) is a dideoxyribonucleoside that can only be used to block the 5' end. Use ddC-3' or Spacer C3 to block the 3' end from polymerase extension. ddA is a synthetic analog of deoxyadenosine, in ddA, both the 2' and 3' positions of the ribose have a hydrogen (H) group substituted for the OH group, whereas in dA, only the 2'-position is so substituted. ddA is added to the 5'-end of an oligo via 5' to -5' synthesis, using a 2',3' ddA, 5'-phosphoramidite. Purification must be by PAGE purification, since such an oligo will not have a trityl group (necessary for RPC purification).

ddC-3' should be used as a 3'-end blocking moiety (see ddC technical sheet).



1 Westchester Plaza, Suite 126, Elmsford, NY 10523 | Tel: 914-769-1192 | Fax: 914-769-1193 | www.genelink.com | 26-6331.pdf Print Date Version : October 16, 2025 Page 1 of 1